created via: HPDC Online Builder

HPD UNIQUE IDENTIFIER: 1131133059072 CLASSIFICATION: 09 65 16.23 Vinyl Sheet Flooring

PRODUCT DESCRIPTION: Natralis™ homogeneous sheet flooring incorporates an exclusive commercial grade polyurethane formulation, a through-pattern construction and is enhanced with a lightly embossed polyurethane reinforced surface. This delivers ultimate protection, exceptional performance, and ease of maintenance.

Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format

C Nested Materials Method

Basic Method

Threshold Disclosed Per

Material

Product

Threshold Level

C 1,000 ppm

C Per GHS SDS

Other

Residuals/Impurities Evaluation

C Completed

C Partially Completed

Not Completed

Explanation(s) provided:

Yes ○ No

For all contents above the threshold, the manufacturer has:

Characterized Yes ○ No.

Provided weight and role.

Screened Yes ○ No

Provided screening results using HPDC-approved

methods.

Identified Yes ○ No

Provided name and CAS RN or other identifier.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

PRODUCT | MATERIAL OR SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

NATRALIS™ [POLYVINYL CHLORIDE LT-P1 | MAM CALCIUM CARBONATE BM-3dg DI(2-ETHYLHEXYL) TEREPHTHALATE BM-3dg TITANIUM DIOXIDE LT-1 | CAN | END | MAM SOYBEAN OIL, EPOXIDIZED LT-P1 | AQU 1,3-PROPANEDIONE, 1,3-DIPHENYL- NoGS N-ETHYL-2-PYRROLIDONE LT-1 | REP | MUL | DEV PHOSPHOROUS ACID, 2-ETHYLHEXYL DIPHENYL ESTER LT-UNK | SKI | EYE | AQU POLYFUNCTIONAL AZIRIDINE BM-1 POLYPROPYLENE LT-P1 SILICA GEL, PPTD., CRYST.-FREE LT-UNK BUTANEDIOIC ACID, SULFO-, 1,4-BIS(2-ETHYLHEXYL) ESTER, SODIUM SALT LT-P1 | MUL | SKI | EYE | REP DIPROPYLENE GLYCOL METHYL ETHER LT-UNK]

Number of Greenscreen BM-4/BM3 contents ... 2

Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ...

LT-P1, LT-1, BM-1 Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

Basic Inventory Method

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional

listings.

VOC emissions: RFCI FloorScore

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Option 1. Pre-checked for LEED v4.1 Option 1.

Third Party Verified?

O Yes No

PREPARER: Self-Prepared

VERIFIER: **VERIFICATION #:** **SCREENING DATE: 2023-06-07** PUBLISHED DATE: 2023-06-07 EXPIRY DATE: 2026-06-07

Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.3, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-3-standard

NATRALIS™

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES EVALUATION COMPLETED: No

RESIDUALS AND IMPURITIES NOTES: Although this product does not meet the requirements for Residuals/Impurities - Considered, it has been thoroughly tested according to the latest industry standards for performance & safety (including heavy metals, orthophthalates, and VOC emissions/indoor air quality).

OTHER PRODUCT NOTES: We have disclosed all known ingredients via this HPD.

AZARD DATA SOURCE: PI	naros Chemical and Materials Library	HAZARD SO	CREENING DATE: 2	2023-06-07 10:35:50
o: 40.4550 - 49.3350	GreenScreen: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Binder
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
MAM	GHS - Japan	H372 - Causes damage to organs through properties or the properties of the control of the contro		e [Specific target organs/systemic
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
RESTRICTED LIST	Perkins+Will (P+W)		P&W - Precaution	ary List
			Precautionary list avoidance	of substances recommended for
RESTRICTED LIST	Cradle to Cradle Products Innov Institute (C2CPII)	ation		Product Standard Restricted RSL) - Effective July 1, 2022
			Core Restrictions	
RESTRICTED LIST	International Living Future Institu	ute (ILFI)	Living Building Ch Chemicals - Effect	nallenge 4.0 - Red List of Materials & tive April 1, 2023
			Red List substanc Challenge V4.0 pro	es to avoid in Living Building ojects

CALCIUM CARBONATE	ID: 1317-65-3

HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2023-06-07 10:35:50

%: 39.4680 - 44.4020 GreenScreen: BM-3dg RC: None NANO: No SUBSTANCE ROLE: Filler

Natralis

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists
SUBSTANCE NOTES:		

DI(2-ETHYLHEXYL) TEREPHTHALATE

ID: 6422-86-2

HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD S	CREENING DATE:	2023-06-07 10:35:51
%: 9.8670 - 14.8010	GreenScreen: BM-3dg	RC: None	NANO: No	SUBSTANCE ROLE: Plasticizer
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No warr	nings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Class	ses of Problematic Chemicals
			Some Solvents	
SUBSTANCE NOTES:				

	TITANIUM DIOXIDE	ID: 13463-67-7
	HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCF	REENING DATE: 2023-06-07 10:35:51
ı		

%: 0.9870 - 4.9340 GreenScreen: LT-1 RC: None NANO: No SUBSTANCE ROLE: Pigment

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen
CAN	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CAN	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources
CAN	MAK	Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
CAN	MAK	Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels
CAN	IARC	Group 2b - Possibly carcinogenic to humans
CAN	EU - GHS (H-Statements) Annex 6 Table 3-1	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]
CAN	GHS - Japan	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
CAN	EU - Annex VI CMRs	Carcinogen Category 2 - Suspected human Carcinogen
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Formulated Consumer Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Cosmetics & Personal Care Products
POSITIVE LIST	US Environmental Protection Agency (US	US EPA - DfE Safer Chemicals Ingredients list (SCIL)
	EPA)	Colorants - Green Circle (Verified Low Concern)
SUBSTANCE NOTES:		

SOYBEAN OIL, EPOXIDIZ	ZED ZED			ID: 801 3	3-07-8
HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD SO	CREENING DATE:	2023-06-07 10:35:52	
%: 0.9870 - 2.9600	GreenScreen: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Plasticize	r
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
AQU	GHS - New Zealand		Hazardous to the category 2	aquatic environment - chronic	

1,3-PROPANEDIONE, 1,3-DIPHENYL-

ID: 120-46-7

HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD S	CREENING DATE:	2023-06-07 10:35:51
%: 0.9870 - 1.9730	GreenScreen: NoGS	RC: None	NANO: No	SUBSTANCE ROLE: Stabilizer
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No war	nings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No	listings found on Additional Hazard Lists
SUBSTANCE NOTES:				

N-ETHYL-2-PYRROLIDONE ID: 2687-91-4

HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD SO	REENING DATE: 2	2023-06-07 10:35:52
%: 1.1970 - 1.2640	GreenScreen: LT-1	RC: None	NANO: No	SUBSTANCE ROLE: Coating
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
REP	EU - Annex VI CMRs		Reproductive Tox	icity - Category 1B
MUL	ChemSec - SIN List	CMR - Carcinogen, Mutagen &/or Reproductiv Toxicant		n, Mutagen &/or Reproductive
REP	GHS - Japan		H360 - May dama reproduction - Ca	ge fertility or the unborn child [Toxic to tegory 1B]
DEV	GHS - Australia		H360D - May dam toxicity - Category	nage the unborn child [Reproductive y 1A or 1B]
DEV	EU - GHS (H-Statements) Annex	6 Table 3-1	H360D - May dam toxicity - Category	nage the unborn child [Reproductive y 1A or 1B]
REP	EU - REACH Annex XVII CMRs		Reproductive toxi	cants: Category 1B
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
RESTRICTED LIST	Green Science Policy Institute (0	SPI)	GSPI - Six Classe	s of Problematic Chemicals
			Some Solvents	
RESTRICTED LIST	Cradle to Cradle Products Innov Institute (C2CPII)	ation		Product Standard Restricted RSL) - Effective July 1, 2022
			Formulated Consu	umer Products

SUBSTANCE NOTES:

ID: 15647-08-2

HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD SO	REENING DATE:	2023-06-07 10:35:52
%: 0.0990 - 0.9870	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Stabilizer
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
SKI	GHS - New Zealand	Skin irritation category 2		egory 2
EYE	GHS - New Zealand	Eye irritation category 2		egory 2
AQU	GHS - New Zealand	Hazardous to the aquatic environment - acute of		aquatic environment - acute category
AQU	GHS - New Zealand	Hazardous to the aquatic environment - chronic category 1		aquatic environment - chronic
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No li	stings found on Additional Hazard List
SUBSTANCE NOTES:				

POLYFUNCTIONAL AZIR	IDINE			ID: 64265-57-2
HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD SO	CREENING DATE:	2023-06-07 10:35:53
%: 0.0130 - 0.0400	GreenScreen: BM-1	RC: None	NANO: No	SUBSTANCE ROLE: Activator
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No warr	nings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No	listings found on Additional Hazard Lists
SUBSTANCE NOTES:				

POLYPROPYLENE				ID: 9003-07-0
HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD SO	CREENING DAT	E: 2023-06-07 10:35:53
%: 0.0130 - 0.0400	GreenScreen: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Abrasion resistance
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No w	varnings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATIO	N
None found			1	No listings found on Additional Hazard Lists
SUBSTANCE NOTES:				

SILICA GEL, PPTD., CRYST.-FREE

ID: 112926-00-8

HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2023-06-07 10:35:53

%: 0.0130 - 0.0400 GreenScreen: LT-UNK RC: None NANO: No SUBSTANCE ROLE: Matting agent

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists
SUBSTANCE NOTES:		

BUTANEDIOIC ACID, SULFO-, 1,4-BIS(2-ETHYLHEXYL) ESTER, SODIUM SALT

ID: 577-11-7

HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD S	CREENING DATE:	2023-06-07 10:35:53		
%: 0.0130 - 0.0270	GreenScreen: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Diluent		
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS			
MUL	German FEA - Substances Haza Waters	German FEA - Substances Hazardous to Waters		Class 2 - Hazard to Waters		
SKI	GHS - New Zealand	GHS - New Zealand		Skin irritation category 2		
SKI	GHS - Australia	GHS - Australia		H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]		
EYE	GHS - New Zealand	GHS - New Zealand		Serious eye damage category 1		
SKI	GHS - Japan	GHS - Japan		H315 - Causes skin irritation [Skin corrosion / irritation - Category 2]		
REP	GHS - Japan			d of damaging fertility or the unborn production - Category 2]		
EYE	GHS - Australia		H318 - Causes serious eye damage [Serious eye damage/eye irritation - Category 1]			
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION			
None found			No li	stings found on Additional Hazard Lists		
SUBSTANCE NOTES:						

DIPROPYLENE GLYCOL METHYL ETHER

ID: 34590-94-8

HAZARD DATA SOURCE:	TA SOURCE: Pharos Chemical and Materials Library		CREENING DATE:	2023-06-07 10:35:54
%: 0.0130 - 0.0270	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Solvent
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No warr	nings found on HPD Priority Hazard Lists

ADDITIONAL LIST	INGS LIST NA	AME AND SOURCE		NOTIFICATION
RESTRICTED LIST	Green S	Science Policy Institute (GSPI)		GSPI - Six Classes of Problematic Chemicals
				Antimicrobials
RESTRICTED LIST	Green S	Science Policy Institute (GSPI))	GSPI - Six Classes of Problematic Chemicals
				Some Solvents

SUBSTANCE NOTES:

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS

RFCI FloorScore

CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: AII

ISSUE DATE: 2023-06-06 EXPIRY DATE: 2023-08-31 CERTIFIER OR LAB: SCS Global

Services

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES:



Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

S-995 FLOORING ADHESIVE

MANUFACTURER (OR GENERIC): Armstrong

HPD URL: No HPD Available ACCESSORY TYPE: Adhesive

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: Refer to installation instructions for additional information

S-1000 FLOORING ADHESIVE

MANUFACTURER (OR GENERIC): Armstrong

HPD URL: No HPD Available ACCESSORY TYPE: Adhesive

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: Refer to installation instructions for additional information

Section 5: General Notes

Refer to installation instructions and manufacturer's warranty for information about proper use of adhesives/accessories and other important information.

MANUFACTURER INFORMATION

MANUFACTURER: AHF, LLC dba AHF Products

ADDRESS: 3840 Hempland Road

P.O. Box 566

Mountville PA 17554, United States WEBSITE: https://www.ahfproducts.com/

CONTACT NAME: Commercial Support

TITLE: Commercial Support PHONE: (866) 243-2726

EMAIL: commercialsupport@ahfproducts.com

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

AQU Aquatic toxicity

Hazard Types

CAN Cancer

DEV Developmental toxicity **END** Endocrine activity

EYE Eye irritation/corrosivity

GEN Gene mutation

GLO Global warming

LAN Land toxicity

MAM Mammalian/systemic/organ toxicity

MUL Multiple **NEU** Neurotoxicity

NF Not found on Priority Hazard Lists

OZO Ozone depletion

PBT Persistent, bioaccumulative, and toxic

PHY Physical hazard (flammable or reactive)

REP Reproductive

RES Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

UNK Unknown

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (due to insufficient data)

LT-P1 List Translator Possible 1 (Possible Benchmark-1)

LT-1 List Translator 1 (Likely Benchmark-1) LT-UNK List Translator Benchmark Unknown

NoGS No GreenScreen.

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, www.greenscreenchemicals.org, and Best Practices for Hazard Screening on the HPDC website (hpd-collaborative.org).

Recycled Types

PreC Pre-consumer recycled content

PostC Post-consumer recycled content

UNK Inclusion of recycled content is unknown

None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this