

SCS Global Services does hereby certify that an independent assessment has been conducted on behalf of:

# Parterre Flooring Systems (a brand of AHF Products)

3840 Hempland Road, Mountville, PA, United States

For the following product(s):

## Engineered Hardwood:

Nurtured LTNT7E24W, Nurtured LTNT7E44W, Nurtured LTNT7E54W, Nurtured LTNT7E42W, Deeply Rooted LTMD9E17W, Deeply Rooted LTMD7E33W, Deeply Rooted LTMD7E43W, Deeply Rooted LTMD9E27W, Deeply Rooted LTMD9E06W, Deeply Rooted LTMD9E26W, Deeply Rooted LTMD9E86W, Deeply Rooted LTMD9E18W

The product(s) meet(s) all of the necessary qualifications to be certified for the following claim(s):

## FloorScore®

Indoor Air Quality Certified to SCS-EC10.3-2014 v4.1

Conforms to the CDPH/EHLB Standard Method v1.2-2017 (California Section 01350), effective April 1, 2017, for the school classroom and private office parameters when modeled as Flooring.

Measured Concentration of Total Volatile Organic Compounds (TVOC): Less than/equal to 0.5 mg/m<sup>3</sup> (in compliance with CDPH/EHLB Standard Method v1.2-2017)

Registration # SCS-FS-06933

Valid from: April 1, 2023 to March 31, 2024

SCS Global Services is currently the only certification body approved by the Resilient Floor Covering Institute (RFCI) to provide FloorScore® product certification; certified products are only listed on the SCS Green Products Guide, <http://www.scsglobalservices.com/certified-green-products-guide>.



A handwritten signature in black ink that reads 'Stanley Mathuram'.

Stanley Mathuram, PE, Executive Vice President  
SCS Global Services  
2000 Powell Street, Ste. 600, Emeryville, CA 94608 USA