



NA330 Bracco, Plaster



Natural Creations®
Luxury Flooring



Natural Creations[®] with Diamond 10[®] Technology

Natural Creations with Diamond 10 Technology offers traditional wood, stone, and textile-inspired visuals in a 3.2 mm LVT structure. The collection features a coordinated mixture of classic wood grain patterns, rustic finishes, stone, concrete, and travertine looks, and two unique textile visuals in a variety of size formats for design flexibility.




NA310 Parsa, Irish Cream



NA310 Parsa, Irish Cream



NA330 Braco, Plaster



NA350 Verona, Rock Dust



NA340 Delano, Shell



NA311 Parsa, Café au Lait



NA331 Braco, Mortar



NA351 Verona, Golden Sky



NA341 Delano, Sunrise



NA312 Parsa, Buttercream



NA332 Braco, Putty



NA352 Verona, Calm Earth



NA342 Delano, Bisque



NA313 Parsa, Java



NA333 Braco, Mason



NA365 Aspen, Elk



NA343 Delano, Grey Mist



NA367 Aspen, Rocky Grey




NA366 Aspen, Colorado




Building Better

We share your commitment to transparency and building a better environment together.

- Low VOC emissions and FloorScore® certified
- Free of ortho-phthalates and heavy metals
- Recyclable through the On&On® Recycling Program
- Health Product Declaration (HPD) and third-party certified Environmental Product Declaration (EPD) available
- Made in the USA with global and domestic content



NA227 Tustin Navale, Silver Rain



NA123 Coastal Crafted, Driftwood



NA183 Galena Oak, Timber



NA160 Ironwood Oak, Sands of Time



NA226 Tustin Navale, Sand Dunes




NA120 Coastal Crafted, Maritime



NA184 Galena Oak, Seashore



NA161 Ironwood Oak, Hour Glass Oak



NA228 Tustin Navale, Smoky Mountain



NA122 Coastal Crafted, Shiplife



NA180 Galena Oak, Rye



NA163 Ironwood Oak, Iron Era



NA225 Tustin Navale, Saddle Rust



NA121 Coastal Crafted, Boardwalk



NA181 Galena Oak, Wheat



NA182 Galena Oak, Wild Grain



NA170 Solano Maple, Honeysuckle



NA193 Avila Oak, Vienna Smoke



NA141 City Mill, Gray Morning



NA235 Weathered Arbor, Light Doe



NA172 Solano Maple, Brown Sugar



NA194 Avila Oak, Madrid Grey



NA142 City Mill, Wind Storm



NA237 Weathered Arbor, Grizzly



NA171 Solano Maple, Sweet Sap



NA190 Avila Oak, Moroccan Sand



NA143 City Mill, Sunbeam



NA236 Weathered Arbor, Fawn



NA191 Avila Oak, Warm Capri




NA144 City Mill, Autumn Sunset



NA192 Avila Oak, Peruvian Cocoa



NA123 Coastal Crafted, Driftwood, NA142 City Mill, Wind Storm







NA400 Matiz, Lenzo



NA407 Matiz, Coco Tweed



NA500 Skyline, Sunny Days



NA501 Skyline, Fired Up



NA408 Matiz, Juneberry



NA405 Matiz, Lorelei



NA507 Skyline, Plumberry



NA509 Skyline, Froth



NA401 Matiz, Key Lime Tide



NA404 Matiz, Ginger Root



NA506 Skyline, Grasshopper



NA508 Skyline, Haystack



NA403 Matiz, Blue Razz



NA502 Skyline, Melody



NA504 Skyline, Silver Sky



NA406 Matiz, Blue Lemonade



NA503 Skyline, Singing the Blues



NA505 Skyline, Starry Night






Breakthrough Innovation

Diamond 10[®] Technology is a patented innovation that uses cultured diamonds to provide the ultimate in scratch, stain, and scuff resistance.

With Diamond 10 Technology, you'll never compromise the look you want for the durability you need. Made to stand up to the wear and tear of commercial settings, this low-maintenance solution keeps floors looking newer, longer.



NA227 Tustin Navale, Silver Rain , NA228 Tustin Navale, Smoky Mountain



1. Diamond 10® Technology

Patented innovation that uses cultured diamonds to provide category-leading scratch, stain, and scuff resistance from edge-to-edge

2. Rigid Wear Layer

The combination of Diamond 10® Technology and the unique rigid wear layer results in enhanced durability and abrasion resistance

3. Realistic Printed Visual

4. Foundation Layer

**20 Year
Commercial
Limited Warranty**

Supported by a 20 Year Commercial Limited Warranty. Add 10 years of overall warranty coverage by using Strong System™ subfloor preparation products. Visit ArmstrongFlooring.com for more information.

Product Information

Construction - Solid Vinyl Tile (Luxury Vinyl Tile / LVT)

International Specifications - ASTM F1700, Class III, Type B, embossed surface

Overall Thickness - 3.2 mm / 0.125 in.

Wear Layer Thickness - 20 mil / 0.020 in.

Size - Avila Oak / Matiz / Solano Maple / Tustin Navale

Weathered Arbor - 6 in. x 36 in.

Galena Oak / Ironwood Oak - 6 in. x 48 in.

City Mill / Coastal Crafted - 9 in. x 48 in.

Braco / Delano - 12 in. x 24 in.

Aspen / Verona - 18 in. x 18 in.

Parsa / Skyline - 18 in. x 36 in.

Factory Finish - Diamond 10[®] Technology

Installation - S-1000, S-995, S-319 Roll Strong™

Maintenance Options - No Polish – No Buff, Polish Optional

Color and visual variation is inherent in all resilient products. Prior to installation, we recommend reviewing multiple tiles.

ArmstrongFlooring™

Walk On. Walk Strong.™



Visit ArmstrongFlooring.com

for complete Product, Technical,
Adhesives, Installation and
Maintenance recommendations.

Print#: FP7440F10609-621

Printed in USA. | Armstrong and the Armstrong logo are under license from AWI Licensing LLC. | All other trademarks are owned by AFI Licensing LLC. | © 2021 AFI Licensing LLC. FloorScore® is a registered trademark of the Resilient Floor Covering Institute.