

SAFETY DATA SHEET

Issuing Date 24-Apr-2013

Revision Date 30-Sept-2016

Revision Number 3



The supplier identified below generated this SDS using the UL SDS template. UL did not test, certify, or approve the substance described in this SDS, and all information in this SDS was provided by the supplier or was reproduced from publically available regulatory data sources. UL makes no representations or warranties regarding the completeness or accuracy of the information in this SDS and disclaims all liability in connection with the use of this information or the substance described in this SDS. The layout, appearance and format of this SDS is ©2014 UL LLC. All rights reserved.

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier

Product Name S-390/S-391 Shinekeeper Floor Polish

Other means of identification

Synonyms Armstrong Multi Surface Floor Finish

Recommended use of the chemical and restrictions on use

Recommended Use Floor polish - Resilient Material

Uses advised against No information available

Details of the supplier of the safety data sheet

Supplier Name Armstrong Flooring, Inc
Supplier Address 2500 Columbia Avenue
Lancaster, PA

Supplier Phone Number 17603
US
Phone: 877-276-7876

Emergency telephone number ChemTel - 800-255-3924 or +01-813-248-0585 (call collect)

2. HAZARDS IDENTIFICATION

Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

| | |
|--------------------|------------|
| Skin sensitization | Category 1 |
|--------------------|------------|

GHS Label elements, including precautionary statements

Emergency Overview

| | |
|-------------|---------|
| Signal word | Warning |
|-------------|---------|



Hazard Statements

May cause an allergic skin reaction

**Appearance** Milky white**Physical State** Liquid**Odor** Mild**Precautionary Statements - Prevention**

Avoid breathing dust/fume/gas/mist/vapors/spray
 Contaminated work clothing should not be allowed out of the workplace
 Wear protective gloves

Precautionary Statements - Response

Specific treatment (see supplemental first aid instructions on this label)

Skin

IF ON SKIN: Wash with plenty of soap and water
 If skin irritation or rash occurs: Get medical advice/attention
 Wash contaminated clothing before reuse

Precautionary Statements - Storage

None

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Not applicable

Unknown Toxicity

46.48% of the mixture consists of ingredient(s) of unknown toxicity

Other information

May cause slight eye irritation
 Repeated or prolonged skin contact may cause allergic reactions with susceptible persons

Interactions with Other Chemicals

No information available.

3. COMPOSITION/INFORMATION ON INGREDIENTS

| Chemical Name | CAS No | Weight-% | Trade Secret |
|-----------------------|-------------|----------|--------------|
| Supplier Trade Secret | Proprietary | 1 - 5 | * |
| Supplier Trade Secret | Proprietary | 0.1 - 1 | * |
| Methylisothiazolinone | 2682-20-4 | < 0.1 | * |

If CAS number is "proprietary", the specific chemical identity and percentage of composition has been withheld as a trade secret

4. FIRST AID MEASURES

First aid measures

| | |
|------------------------------|--|
| <u>General Advice</u> | Show this safety data sheet to the doctor in attendance. |
| Eye Contact | Rinse thoroughly with plenty of water, also under the eyelids. If symptoms persist, call a physician. |
| Skin Contact | Wash with soap and water. May cause an allergic skin reaction. In the case of skin irritation or allergic reactions see a physician. |
| Inhalation | Remove to fresh air. |
| Ingestion | Rinse mouth immediately and drink plenty of water. Never give anything by mouth to an unconscious person. |

Most important symptoms and effects, both acute and delayed

Most Important Symptoms and Effects Itching. Rashes. Hives.

Indication of any immediate medical attention and special treatment needed

Notes to Physician May cause sensitization of susceptible persons. Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media

CAUTION: Use of water spray when fighting fire may be inefficient.

Specific Hazards Arising from the Chemical

Product is or contains a sensitizer. May cause sensitization by skin contact.

| | |
|--------------------------|---|
| Uniform Fire Code | Sensitizer: Liquid Combustible Liquid: III-B |
|--------------------------|---|

Hazardous Combustion Products

Carbon oxides.

Explosion Data

Sensitivity to Mechanical Impact No.

Sensitivity to Static Discharge No.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions Avoid contact with eyes.

Environmental Precautions

Environmental Precautions Refer to protective measures listed in Sections 7 and 8.

Methods and material for containment and cleaning up

Methods for Containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Soak up with inert absorbent material. Pick up and transfer to properly labeled containers.

7. HANDLING AND STORAGE

Precautions for safe handling

Handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with eyes.

Conditions for safe storage, including any incompatibilities

Storage Keep container tightly closed.

Incompatible Products None known based on information supplied.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

| Chemical Name | ACGIH TLV | OSHA PEL | NIOSH IDLH |
|-----------------------|--|---|--|
| Supplier Trade Secret | STEL: 10 mg/m ³ respirable fraction TWA: 2 mg/m ³ respirable fraction | TWA: 5 mg/m ³ fume TWA: 15 mg/m ³ total dust TWA: 5 mg/m ³ respirable fraction (vacated) TWA: 5 mg/m ³ fume (vacated) TWA: 10 mg/m ³ total dust (vacated) TWA: 5 mg/m ³ respirable fraction (vacated) STEL: 10 mg/m ³ fume (vacated) | IDLH: 500 mg/m ³ Ceiling: 15 mg/m ³ dust TWA: 5 mg/m ³ dust and fume STEL: 10 mg/m ³ fume |

ACGIH TLV: American Conference of Governmental Industrial Hygienists - Threshold Limit Value OSHA PEL: Occupational Safety and Health Administration - Permissible Exposure Limits NIOSH IDLH Immediately Dangerous to Life or Health

Other Exposure Guidelines Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992)

Appropriate engineering controls



Engineering Measures
Showers
Eyewash stations
Ventilation systems

Individual protection measures, such as personal protective equipment

Eye/Face Protection None required for consumer use. If splashes are likely to occur: Wear safety glasses with side shields (or goggles).

Skin and Body Protection None required for consumer use. If there is a risk of contact: Wear protective gloves and protective clothing.

Respiratory Protection No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.

Hygiene Measures Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical and Chemical Properties

| | | | |
|-----------------------|--------------------------|-----------------------|--------------------------|
| Physical State | Liquid | Odor | Mild |
| Appearance | Milky white | Odor Threshold | No information available |
| Color | No information available | | |

| <u>Property</u> | <u>Values</u> | <u>Remarks</u> | <u>Method</u> |
|---|----------------------|-----------------------|----------------------|
| pH | 7 | None known | |
| Melting / freezing point | No data available | None known | |
| Boiling point / boiling range | 100 C / 212 F | None known | |
| Flash Point | 94 C / 201 F | None known | |
| Evaporation Rate | No data available | None known | |
| Flammability (solid, gas) | No data available | None known | |
| Flammability Limit in Air | | | |
| Upper flammability limit | No data available | | |
| Lower flammability limit | No data available | | |
| Vapor pressure | No data available | None known | |
| Vapor density | No data available | None known | |
| Specific Gravity | No data available | None known | |
| Water Solubility | Dispersible | None known | |
| Solubility in other solvents | No data available | None known | |
| Partition coefficient: n-octanol/water | No data available | None known | |
| Autoignition temperature | No data available | None known | |
| Decomposition temperature | No data available | None known | |
| Kinematic viscosity | No data available | None known | |
| Dynamic viscosity | No data available | None known | |
| Explosive properties | No data available | | |
| Oxidizing Properties | No data available | | |

Other Information

| | |
|-----------------------------------|-------------------|
| Softening Point | No data available |
| VOC Content (%) | No data available |
| Particle Size | No data available |
| Particle Size Distribution | |

| | |
|---------------------------------|--|
| STOT - single exposure | No information available. |
| STOT - repeated exposure | No information available. |
| Chronic Toxicity | No known effect based on information supplied. |
| Target Organ Effects | Skin. |
| Aspiration Hazard | No information available. |

Numerical measures of toxicity Product Information

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral)
30,134.00 mg/kg

12. ECOLOGICAL INFORMATION

Ecotoxicity

The environmental impact of this product has not been fully investigated.

| Chemical Name | Toxicity to Algae | Toxicity to Fish | Toxicity to Microorganisms | Daphnia Magna (Water Flea) |
|-----------------------|-------------------|---|----------------------------|----------------------------|
| Supplier Trade Secret | | 96h LC50: 19100 - 23900 mg/L (Lepomis macrochirus) 96h LC50: 11400 - 15700 mg/L (Oncorhynchus mykiss) 96h LC50: 11600 - 16700 mg/L (Pimephales promelas) 96h LC50: = 13400 mg/L (Salmo gairdneri) 96h LC50: = 10000 mg/L (Lepomis macrochirus) | | 48h EC50: 3940 - 4670 mg/L |

Persistence and Degradability

No information available.

Bioaccumulation

| Chemical Name | Log Pow |
|-----------------------|---------|
| Supplier Trade Secret | -0.8 |

Other adverse effects

No information available.

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal methods

This material, as supplied, is not a hazardous waste according to Federal regulations (40 CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local regulations for additional requirements.

Contaminated Packaging

Dispose of contents/containers in accordance with local regulations.

California Hazardous Waste Codes 331

This product contains one or more substances that are listed with the State of California as a hazardous waste.

| Chemical Name | California Hazardous Waste |
|-----------------------|----------------------------|
| Supplier Trade Secret | Toxic |

14. TRANSPORT INFORMATION

DOT
 Proper Shipping Name
 Hazard Class

NOT REGULATED
 NON REGULATED
 N/A

TDG Not regulated

MEX Not regulated

ICAO Not regulated

IATA
 Proper Shipping Name
 Hazard Class

Not regulated
 NON REGULATED
 N/A

IMDG/IMO
 Hazard Class

Not regulated
 N/A

RID Not regulated

ADR Not regulated

ADN Not regulated

15. REGULATORY INFORMATION

International Inventories

TSCA Complies
DSL All components are listed either on the DSL or NDSL.

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List



US Federal Regulations**SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

| Chemical Name | CAS No | Weight-% | SARA 313 - Threshold Values % |
|-------------------------|--------|----------|-------------------------------|
| Supplier Trade Secret - | | 1 - 5 | 1.0 |
| Supplier Trade Secret - | | 0.1 - 1 | 1.0 |

SARA 311/312 Hazard Categories

| | |
|-----------------------------------|-----|
| Acute Health Hazard | Yes |
| Chronic Health Hazard | No |
| Fire Hazard | No |
| Sudden release of pressure hazard | No |
| Reactive Hazard | No |

CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

| Chemical Name | CWA - Reportable Quantities | CWA - Toxic Pollutants | CWA - Priority Pollutants | CWA - Hazardous Substances |
|-----------------------|-----------------------------|------------------------|---------------------------|----------------------------|
| Supplier Trade Secret | | X | | |

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

US State Regulations**California Proposition 65**

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

| Chemical Name | New Jersey | Massachusetts | Pennsylvania | Rhode Island | Illinois |
|-----------------------|------------|---------------|--------------|--------------|----------|
| Supplier Trade Secret | X | | X | X | X |

International Regulations

| Component | Carcinogen Status | Exposure Limits |
|------------------------------------|-------------------|--|
| Supplier Trade Secret (0.1 - 1) | | Mexico: TWA 5 mg/m ³ Mexico: TWA 10 mg/m ³ Mexico: STEL 10 mg/m ³ |

Canada**WHMIS Hazard Class**

D2B - Toxic materials

**16. OTHER INFORMATION**

| | | | | |
|-------------|-------------------------|-----------------------|--------------------------|---|
| NFPA | Health Hazards 2 | Flammability 1 | Instability 0 | Physical and Chemical Hazards - Personal Protection X |
| HMIS | Health Hazards 2 | Flammability 1 | Physical Hazard 0 | |

| | |
|----------------------|--|
| Prepared By | Armstrong Flooring, Inc 2500 Columbia Avenue Lancaster, PA 17603 1-800-233-3823 |
| Issuing Date | 24-Apr-2013 |
| Revision Date | 30-Sept-2016 |
| Revision Note | Company name change |

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet