Armstrong S-309 Once 'N Done Floor Cleaner Ready-To-Use 01-Jul-2019

Г

Armstrong Flooring, Inc. 2500 Columbia Ave. Lancaster, PA USA 17603 Telephone: (800) 233-3823 Page **1** of **6**

SAFETY DATA SHEET

SECTION 1 -	PRODUCT AND COMPANY IDEN	ITIFICATION	
Product Identifier:Product Code:Trade Name/Synonyms:Recommended Use:Uses Advised Against:Supplier's name and address:Armstrong Flooring, Inc.2500 Columbia Ave.Lancaster, PA, USA 17603	S-309 Once 'N Done Floor Clea 70047933 S-309 Floor Cleaner, Ready-To-Use. No information available.	ner Ready-To	-Use
Information Telephone No. : Website Address : 24 Hr Emergency Telephone # :	(800) 233-3823 http://www.floorexpert.com CHEM-TEL: 1-800-255-3924 OR 1-813-248	3-0585 (call collect)
SECT	TION 2 – HAZARDS IDENTIFICAT	ION	
GHS Classification per 29 CFR 191	0.1200 (OSHA HCS 2012) and HPR (WHMIS Not classified as hazardous.	5 2015)	
GHS Pictograms	None.		
Signal Word	None.		
Hazard Statements	None.		
Safe Handling Instructions:	Avoid eye and skin contact. It is recommend gloves during handling. During installation pr work area should be maintained. Although th who are sensitive to odors or chemicals shou installation. Keep container closed.	ocess, adequate ve ne product is low in	entilation of the VOCs, persons
Hazards Not Otherwise Classified	·		
% With Unknown Acute Toxicity :	None. Less than 1% by weight of this product cons acute toxicity.	ists of ingredients v	vith unknown
SECTION 3 – CO	MPOSITION/INFORMATION ON		s
Ingredients		CAS #	% (by weight)
2-Butoxyethanol		111-76-2	0.1 – 1.0

	SECTION 4 – FIRST AID MEASURES
General	: Call a doctor if you feel unwell.
Inhalation	 If inhaled, remove person to fresh air and keep at rest in a position comfortable for breathing. If breathing problems persist, seek medical attention/advice.
Skin contact	: Remove contaminated clothing immediately. Wash skin with plenty of water. If irritations or symptoms develop, seek medical attention/advice.
Eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing for 15 minutes. Get medical advice/attention.
Ingestion	: Rinse mouth. Do NOT induce vomiting. Call a doctor/physician if you feel unwell.

Armstrong Flooring, Inc. 2500 Columbia Ave. Lancaster, PA USA 17603 Telephone: (800) 233-3823 Page **2** of **6**

Armstrong S-309 Once 'N Done Floor Cleaner Ready-To-Use 01-Jul-2019

Prohibited materials

Environmental precautions

01-Jul-2019	Page 2 of 6
Notes for Physician	: Treat symptomatically.
Signs and symptoms of short-te	rm (acute) exposure
Inhalation	: None known.
Skin	: Symptoms may include mild redness or itching.
Eyes	: Symptoms may include mild redness, itching, or pain.
Ingestion	: None known.
Effects of long-term (chronic) ex	posure
	: None known.
ndication of need for immediate n	nedical attention or special treatment
	: Difficulty breathing persists after removing the person to fresh air.
	Any exposure to the eye which causes irritation.
SE	CTION 5 – FIRE FIGHTING MEASURES
Suitable extinguishing media	: Carbon dioxide, dry chemical powder, alcohol resistant foam or water spray.
Jnsuitable extinguishing media	: Water jet may spread the burning material.
Hazardous combustion products	 Carbon dioxide; Carbon monoxide; Ammonia; Nitrogen oxides as well as other toxic vapors and gases which are common to thermal degradation of organic compounds.
Special fire-fighting procedures/ec	quipment
	: Firefighters should wear proper protective equipment and self-contained breathing apparatus with full face piece operated in positive pressure mode. Move containers from fire area if safe to do so. Water spray may be useful in cooling equipment exposed to heat and flame. After fires have been extinguished, carefully clean all equipment and surfaces exposed to fumes.
Environmental precautions	: Do not allow large amounts of this product to enter drains or contaminate ground water system.
Fire hazards/conditions of flamma	bility
	: Not flammable under normal conditions of use. Closed containers may rupture if exposed to excess heat or flame due to a build-up of internal pressure.
Flammability classification (OSHA	. 29 CFR 1910.1200, WHMIS 2015)
	: Not flammable.
NFPA Rating	: 0 - Minimal 1 – Slight 2 – Moderate 3 – Serious 4 – Severe
	Health: 1 Flammability 1 Instability 0 Special Hazards: None
SECTIO	ON 6 – ACCIDENTAL RELEASE MEASURES
Personal precautions	: Restrict access to area until completion of clean-up. All persons dealing with clean-up should wear the appropriate chemically protective equipment.
Protective equipment	 Refer to Section 8 for additional information on acceptable personal protective equipment.
Emergency Procedures	: This product does not contain chemicals requiring EPA notification for spills.
Methods and materials for contain	ment and cleaning up
	: Ventilate area of release. Stop spill or leak at source if safely possible. Caution: floor surfaces will be slippery! Contain product with inert absorbent material, preventing it from entering sewer lines or waterways. Gather up spilled material and place in suitable container for later disposal (see Section 13). Residuel of product, while still

: None known.

:

suitable container for later disposal (see Section 13). Residual of product, while still wet, can be cleaned up with water. Notify the appropriate authorities as required.

Do not allow large amounts of this product to enter drains or waterways, or contaminate ground water systems. Small amounts, such as used to clean floors,

etc. may be disposed of by pouring down a drain.

Armstrong S-309 Once 'N Done Floor Cleaner Ready-To-Use 01-Jul-2019

Armstrong Flooring, Inc. 2500 Columbia Ave. Lancaster, PA USA 17603 Telephone: (800) 233-3823 Page **3** of **6**

Reference to other sections

: See Section 14 for disposal information.

	SECTION 7 – HANDLING AND STORAGE
Safe handling procedures	: Wear suitable protective equipment during handling. (See Section 8.) Observe good hygiene standards. Use only with adequate ventilation. Wash thoroughly after handling. Avoid contact with eyes, skin, or clothing.
Storage requirements	: Store in a cool, dry, well-ventilated area. Store away from heat and open flame. Store in original container. Keep tightly closed when not in use.
Incompatible materials Special packaging materials	See Section 10.No special requirements.

SECTION 8 – EXPOSURE CONTROLS AND PERSONAL PROTECTION

Ingredients	CAS #		ACGI	I TLV	OSHA PEL	
			TWA	STEL	PEL	STEL
2-Butoxyethanol		111-76-2	20 ppm	N/Av	50 ppm (skin)	N/Av
Engineering Controls	recomme	eral or local exhaus ended exposure lim f any vapor genera	its. Ventilatior	n should effe	ctively remove a	
Personal Protection Equipment	·	, , ,		0	•	
Note		ving PPE recommen e product label.	dations are for	professional (users. Consume	er users shou
Eye / face protection	: Eye prote	ection such as chen	nical goggles o	or safety glas	ses is recomme	ended.
Skin protection	0	: Wear gloves which are impervious to the product. Glove materials such as rubber or vinyl are recommended.				
Body protection						
Respiratory protection	using this quantities	rmal working condi product as recomi of vapor, or expos apor respirator.	mended. If wo	ork process g	enerates exces	sive
Site safety equipment	: An eyewa working a	ash station and safe area.	ety shower sho	ould be made	e available in the	e immediate
General hygiene considerations		ntact with eyes, ski			etion of work, w	

SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

Physical state	:	Liquid	Appearance	:	Greenish-yellow
Odor	:	Ammonia	Odor threshold	:	N/Av
рН	:	9.5 – 10.5	Specific gravity	:	1.00
Boiling point	:	212°F (100°C)	Coefficient of water/oil distribution	:	N/Av
Melting/Freezing point	:	N/Av	Solubility in water	:	Miscible
Vapor pressure (mm Hg @ 20°C / 68°F)	:	N/Av	Evaporation rate (<i>n</i> -Butyl acetate = 1)	:	N/Av
Vapor density (Air = 1)	:	N/Av	Volatiles (% by weight)	:	> 95 %
Volatile organic compounds (VOCs)	:	0.47% per CARB	rules		
Particle size	:	N/Av	Flammability classification	:	Not flammable

Armstrong S-309 Once 'N Done Floor Cleaner Ready-To-Use 01-Jul-2019 Armstrong Flooring, Inc. 2500 Columbia Ave. Lancaster, PA USA 17603 Telephone: (800) 233-3823 Page **4** of **6**

Flash point	:	>93.3°C (>200°F) Lower flammable limit (% by vol)	:	Not available
Flash point method	:	Setaflash closed	Upper flammable limit (% by vol)	:	Not available
Auto-ignition temperature	:	N/Av	Decomposition temperature	:	Not available
Viscosity	:	N/Av	Oxidizing properties	:	Not available
Explosion data: Sensitivity to med	ha	nical impact / sta	tic discharge		

: Not expected to be sensitive to mechanical impact or static discharge.

SECTION 10 – REACTIVITY AND STABILITY INFORMATION

Reactivity	:	Not reactive.
Stability	:	Stable under the recommended storage and handling conditions prescribed.
Hazardous reactions	:	Hazardous polymerization does not occur.
Conditions to avoid	:	Extreme heat.
Materials to avoid and incompatibility	у	
	:	Strong oxidizing agents.
Hazardous decomposition product	ts	

: None known, refer to hazardous combustion products in Section 5.

SECTION 11 – TOXICOLOGICAL INFORMATION

Routes of exposure	: Inhalation: YES Sk	in Absorption: NO Skin and	I Eves: YES Ingestion: YES
Symptoms of exposure	: See Section 4.		,
Calculated Acute Toxicity Estima			
Inhalation	: > 300 mg/L		
Oral	: > 40,000 mg/kg		
Dermal	: > 40,000 mg/kg		
Toxicological data	: See below for individual	ingredient acute toxicity data	
	LC50 (4 hr)	LC	050
Ingredients	Inhalation, rat	Oral, rat	Dermal, rabbit
2-Butoxyethanol	2.17	917	220
Skin corrosion or irritation Serious eye damage / eye irritation Respiratory or skin sensitization Germ cell mutagenicity Carcinogenic status	 None known. None known. Does not contain any ch concentrations greater t a confirmed animal carc 	ry irritation to eyes. nemical listed as a carcinogen	2-butoxyethanol in group A3—
Reproductive toxicity	: None known.		
Specific Target Organ Toxicity, S	ingle Exposure		
	: None known.		
Specific Target Organ Toxicity, R	epeated Exposure		
	: None known.		
Aspiration hazard	: None known.		
Additional information	: N/Av		

SECTION 12 – ECOLOGICAL INFORMATION

Environmental effects

: Under normal conditions of use, this product may be disposed of by pouring down a drain.

Armstrong Flooring, Inc. 2500 Columbia Ave. Lancaster, PA USA 17603 Telephone: (800) 233-3823 Page **5** of **6**

Armstrong S-309 Once 'N Done Floor Cleaner Ready-To-Use 01-Jul-2019

:	No data available.
:	No data available.
	::

SECTION 13 – DISPOSAL CONSIDERATION

Handling for disposal	: Handle waste according to recommendations in Section 7.
Methods of disposal	 Dispose in accordance with all applicable federal, state, provincial and local regulations. Contact your local, state, provincial or federal environmental agency for specific rules.
Packaging	: Handle contaminated packaging in the same manner as the product.
RCRA	 For disposal of unused or waste material, check with local, state and federal environmental agencies.

SECTION 14 – TRANSPORTATION INFORMATION

Regulatory Information	UN Number	Shipping Name	Class	Packing Group	Label
TDG	None	This product is not regulated according to Canadian TDG regulations.	None	None	None
TDG Additional Information	None				
49 CFR/DOT	None	This product is not regulated according to US DOT regulations.	None	None	None

IATA IMDG : Not regulated for Air Transport

: Not regulated for Ocean Transport

SECTION 15 – REGULATORY INFORMATION

Canadian Information:

This product has been classified according to the hazard criteria of the Hazardous Products Regulations (HPR). This SDS contains all of the information required by the HPR.

Canadian Environmental Protection Act (CEPA) information: All ingredients listed appear on either the Domestic Substances List (DSL) or the Non- Domestic Substances List (NDSL).

US Federal Information:

TSCA: All ingredients appear on the Toxic Substances Control Act (TSCA) inventory.

CERCLA Reportable Quantity (RQ) (40 CFR 117.302): None reported.

SARA TITLE III: Sec. 302, Extremely Hazardous Substances, 40 CFR 355: No Extremely Hazardous Substances are present in this material.

SARA TITLE III: Sec. 311 and 312, SDS Requirements, 40 CFR 370 Hazard Classes: Not Hazardous.

SARA TITLE III: Sec. 313, Toxic Chemicals Notification, 40 CFR 372: This product is not subject to SARA notification requirements, since it does not contain any Toxic Chemical constituents above *de minimus* concentrations.

U.S. State Right To Know Laws

California Proposition 65: None

Armstrong S-309 Once 'N Done Floor Cleaner Ready-To-Use 01-Jul-2019

Other State Right to Know Laws:

Ingredient on State RTK Law?	CAS No.	CA	MA	MN	NJ	NY	PA	RI
2-Butoxyethanol	111-76-2	Yes	Yes	Yes	Yes	No	Yes	Yes

SECTION 16 – OTHER INFORMATION

HMIS Rating

: *- Chronic Hazard 0 - Minimal 1 – Slight 2 – Moderate 3 – Serious 4 – Severe Health: 1 Flammability 1 Physical Hazard: 0 PPE: Gloves, safety glasses

Legend

: ACGIH: American Conference of Governmental Industrial Hygienists CAS: Chemical Abstract Services CERCLA: Comprehensive Environmental Response, Compensation, and Liability Act of 1980 CFR: Code of Federal Regulations DOT: Department of Transportation DSL: Domestic Substances List EPA: Environmental Protection Agency GHS: Globally Harmonized System HPR: Hazardous Products Regulations IARC: International Agency for Research on Cancer Inh: Inhalation N/Av: Not Available N/Ap: Not Applicable NIOSH: National Institute of Occupational Safety and Health NTP: National Toxicology Program OSHA: Occupational Safety and Health Administration PEL: Permissible exposure limit RCRA: Resource Conservation and Recovery Act SARA: Superfund Amendments and Reauthorization Act STEL: Short Term Exposure Limit TDG: Canadian Transportation of Dangerous Goods Act & Regulations TLV: Threshold Limit Values TSCA: Toxic Substance Control Act TWA: Time Weighted Average WHMIS: Workplace Hazardous Materials Identification System

Disclaimer of Liability

The Information presented herein is supplied as a guide to those who handle or use this product and has been prepared in good faith by technically knowledgeable personnel. It is not intended to be all-inclusive. The manner and conditions of use and handling may involve other and additional considerations. Safe work practices must be employed when working with any materials. It is important that the end user makes a determination regarding the adequacy of the safety procedures employed during the use of this product.

No warranty of any kind is given or implied. Armstrong Flooring, Inc. will not be liable for any damages, losses, injuries or consequential damages which may result from the use or reliance on any information contained herein.

Prepared By:

Armstrong Flooring, Inc. 2500 Columbia Ave. Lancaster, PA, USA 17603

(800) 233-3823 Visit our Website: http://www.floorexpert.com

Revision date:

: 01-Jul-2019

End of Document