EXCELON® SDT™ - Static Dissipative Tile by Armstrong Flooring, Inc.

Health Product Declaration v2.2

created via: HPDC Online Builder

HPD UNIQUE IDENTIFIER: 29144

CLASSIFICATION: 09 65 00 Resilient Flooring

PRODUCT DESCRIPTION: Excelon SDT static dissipative tile is a complete flooring solution designed to control static in most non-explosive manufacturing and working areas. Excelon SDT is recommended for computer training rooms, data warehousing, electronic testing labs, manufacturing facilities, and hyperbaric spaces in healthcare settings. Its durable and versatile construction ensures lasting beauty in high-traffic areas and it's easy to maintain using standard maintenance protocols.

Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format

- C Nested Materials Method
- Basic Method

Threshold Disclosed Per

- Material
- Product

Threshold Level

- C 100 ppm
- ⊙ 1,000 ppm
- O Per GHS SDS

Other

Residuals/Impurities

- Considered
- C Partially Considered
- Not Considered

Explanation(s) provided for Residuals/Impurities?

Yes ○ No

All Substances Above the Threshold Indicated Are: Characterized

% weight and role provided for all substances.

Screened ○ Yes Ex/SC ⊙ Yes ○ No

All substances screened using Priority Hazard Lists with

results disclosed.

 ○ Yes Ex/SC Yes No Identified

All substances disclosed by Name (Specific or Generic)

and Identifier.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

EXCELON® SDT™ - STATIC DISSIPATIVE TILE [LIMESTONE BM-3dg POLYVINYL CHLORIDE LT-P1 | RES VINYL CHLORIDE VINYL ACETATE COPOLYMER LT-UNK BIS(2-ETHYLHEXYL) TEREPHTHALATE BM-3dg DIETHYLENE GLYCOL DIBENZOATE LT-

P1 | MUL TITANIUM DIOXIDE LT-1 | CAN | END COCO-

ETHYLDIMONIUM ETHOSULFATE LT-P1 | MUL QUARTZ BM-1 | CAN

FERRIC OXIDE BM-1 | CAN FERROSOFERRIC OXIDE BM-1 | CAN

PHTHALOCYANINE GREEN LT-UNK CARBON BLACK BM-1 | CAN

PIGMENT BLUE 15 BM-3 C.I. PIGMENT RED 120 LT-UNK FERRIC

OXIDE, YELLOW LT-UNK C.I. PIGMENT YELLOW 83 LT-P1]

Number of Greenscreen BM-4/BM3 contents ... 1

Contents highest concern GreenScreen

Benchmark or List translator Score ... BM-1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

Residuals/impurities are quantitatively measured and are displayed in the HPD when greater than 1000 ppm.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional

listinas.

VOC emissions: RFCI FloorScore

LCA: Environmental Product Declaration (EPD) by ASTM

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients Option 1

Third Party Verified?

O Yes No

PREPARER: Self-Prepared

VERIFIER:

VERIFICATION #:

SCREENING DATE: 2022-07-06 PUBLISHED DATE: 2022-07-08

EXPIRY DATE: 2025-07-06

Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.2, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-2-standard

EXCELON® SDT™ - STATIC DISSIPATIVE TILE

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals/impurities are quantitatively measured and are displayed in the HPD when greater than 1000 ppm.

OTHER PRODUCT NOTES: For more information on this product visit: https://www.armstrongflooring.com/commercial/en-us/products/esd/static-dissp-excelon-sdt.html

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2022-07-06 11:22:44

%: 75.0000 - 85.0000 GS: BM-3dg RC: None NANO: No SUBSTANCE ROLE: Filler

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES:

POLYVINYL CHLORIDE ID: 9002-86-2

HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCI	2022-07-06 11:22:44	
%: 5.0000 - 10.0000	GS: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Binder
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
RES	AOEC - Asthmagens	Asthm	itizer-induced	
SUBSTANCE NOTES:				

VINYL CHLORIDE VINYL ACETATE COPOLYMER

ID: 9003-22-9

%: 5.0000 - 10.0000	GS: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Binder
HAZARD TYPE	AGENCY AND LIST TITLES	WARN	INGS	
None found			No warnings	found on HPD Priority Hazard Lists

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2022-07-06 11:22:45

SUBSTANCE NOTES:

BIS(2-ETHYLHEXYL) TEREPHTHALATE

ID: 6422-86-2

HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SC	REENING DAT	E: 2022-07-06 11:22:45
%: 1.5000 - 2.0000	GS: BM-3dg	RC: None	NANO: No	SUBSTANCE ROLE: Plasticizer
HAZARD TYPE	AGENCY AND LIST TITLES	WARN	IINGS	
None found			No warnings	found on HPD Priority Hazard Lists
SUBSTANCE NOTES:				

DIETHYLENE GLYCOL DIBENZOATE				
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCREENING DATE: 2022-07-06 11:22:46		
%: 1.0000 - 1.5000	GS: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Plasticizer
HAZARD TYPE	AGENCY AND LIST TITLES	WAR	NINGS	
MUI German FFA - Substances Hazardous to		Class 2 - Hazard to Waters		

SUBSTANCE NOTES:

Waters

TITANIUM DIOXIDE ID: 13463-67-7 HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2022-07-06 11:22:46 %: 0.5000 - 1.0000 GS: LT-1 SUBSTANCE ROLE: Pigment RC: None NANO: No **HAZARD TYPE** AGENCY AND LIST TITLES **WARNINGS** CAN **US CDC - Occupational Carcinogens** Occupational Carcinogen CAN Carcinogen - specific to chemical form or exposure CA EPA - Prop 65 route CAN **IARC** Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources CAN MAK Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value **END TEDX - Potential Endocrine Disruptors** Potential Endocrine Disruptor MAK CAN Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels CAN EU - GHS (H-Statements) Annex 6 Table 3-1 H351 - Suspected of causing cancer [Carcinogenicity -Category 2]

SUBSTANCE NOTES: Pigment is bound within the product matrix and does not pose an inhalation hazard.

COCO-ETHYLDIMONIUM ETHOSULFATE

ID: 68308-64-5

HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SC	REENING DATE:	2022-07-06 11:22:47
%: 0.5000 - 1.0000	GS: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Anti-static

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
MUL	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters

SUBSTANCE NOTES: Quaternary ammonium compound.

HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCREENING DATE: 2022-07-06 11:22:47
∕₀: Impurity/Residual	GS: BM-1	RC: None NANO: No SUBSTANCE ROLE: Impurity/Residu
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen
CAN	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CAN	US NIH - Report on Carcinogens	Known to be Human Carcinogen (respirable size - occupational setting)
CAN	MAK	Carcinogen Group 1 - Substances that cause cancer in man
CAN	IARC	Group 1 - Agent is carcinogenic to humans - inhaled from occupational sources
CAN	IARC	Group 1 - Agent is Carcinogenic to humans
CAN	GHS - Japan	H350 - May cause cancer [Carcinogenicity - Category 1A]
CAN	GHS - Australia	H350i - May cause cancer by inhalation [Carcinogenicity - Category 1A or 1B]
CAN	GHS - New Zealand	Carcinogenicity category 1

FERRIC OXIDE				ID: 1309-37-
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SC	REENING DATE:	2022-07-06 11:22:48
%: 0.0000 - 0.5000	GS: BM-1	RC: None	NANO: No	SUBSTANCE ROLE: Pigment
HAZARD TYPE	AGENCY AND LIST TITLES	WARN	INGS	
CAN	MAK		ogen Group 3B - t sufficient for cla	· Evidence of carcinogenic effects assification

FERROSOFERRIC OXIDE			ID: 1317-61-9
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCREENING DATE:	2022-07-06 11:22:48

%: 0.0000 - 0.5000 GS: BM-1 RC: None NANO: No SUBSTANCE ROLE: Pigment

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CAN	MAK	Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification

PHTHALOCYANINE GREEN			ID: 1328-53-6	į
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCREENING DATE:	2022-07-06 11:22:49	

SUBSTANCE NOTES: Present in select patterns.

SUBSTANCE NOTES: Present in select patterns.

CARBON BLACK ID: 1333-86-4

HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZA	HAZARD SCREENING DATE:		2022-07-06 11:22:49
%: 0.0000 - 0.5000	GS: BM-1	RC: N	RC: None NANO: No		SUBSTANCE ROLE: Pigment
HAZARD TYPE	AGENCY AND LIST TITLES		WARNI	NGS	
CAN	US CDC - Occupational Carcinogens		but not sufficient for class		en
CAN	MAK				Evidence of carcinogenic effects assification
CAN	CA EPA - Prop 65				o chemical form or exposure
CAN	IARC		•	2B - Possibly ca ecupational sour	rcinogenic to humans - inhaled

SUBSTANCE NOTES: Present within select patterns. Pigment is bound within the product matrix and does not pose an inhalation hazard.

PIGMENT BLUE 15 ID: 147-14-8

HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCREENING DATE:		2022-07-06 11:22:49		
%: 0.0000 - 1.0000	GS: BM-3	RC: None	NANO: No	SUBSTANCE ROLE: Pigment		
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS				
None found No warnings found on HPD Priority Hazard Lists						

SUBSTANCE NOTES: Present in select patterns.

C.I. PIGMENT RED 120 ID: 2786-76-7

HAZARD SCREENING METHOD:	IING METHOD: Pharos Chemical and Materials Library		REENING DATE:	2022-07-06 11:22:50
%: 0.0000 - 0.5000	GS: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Pigment

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Present in select patterns.

FERRIC OXIDE, YELLOW ID: 51274-00-1

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2022-07-06 11:22:50

%: 0.0000 - 0.5000 GS: LT-UNK RC: None NANO: No SUBSTANCE ROLE: Pigment

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Present in select patterns.

C.I. PIGMENT YELLOW 83 ID: 5567-15-7

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2022-07-06 11:22:51

%: 0.0000 - 0.5000 GS: LT-P1 RC: None NANO: No SUBSTANCE ROLE: Pigment

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Present in select patterns.



Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS

RFCI FloorScore

CERTIFYING PARTY: Third Party

ISSUE DATE: 2021-09-

CERTIFIER OR LAB: SCS Global

APPLICABLE FACILITIES: Kankakee, Illinois

08-31

EXPIRY DATE: 2022-

CERTIFICATE URL:

https://www.scsglobalservices.com/certified-

clients/certificates/3852

CERTIFICATION AND COMPLIANCE NOTES: Registration #SCS-FS-01337 Indoor Air Quality Certified to SCS-EC10.3-2014 v4.0. Conforms to the CDPH/EHLB Standard Method v1.2-2017 (California Section 1350), effective April 1, 2017, for the school classroom and private office parameters when modeled as Flooring. Measured Concentration of Total Volatile Organic Compounds (TVOC): Less than/equal to 0.5 mg/m3(in compliance with CDPH/EHLB Standard Method v1.2-2017) For more information: http://www.scsglobalservices.com/certified-green-products-guide

LCA

Environmental Product Declaration (EPD) by ASTM

CERTIFYING PARTY: Third Party

ISSUE DATE: 2019-12- EXPIRY DATE: 2024-

CERTIFIER OR LAB: ASTM

APPLICABLE FACILITIES: Kankakee, Illinois

20

12-20

International

CERTIFICATE URL:

https://www.armstrongflooring.com/pdbupimages-

flr/225096.pdf

CERTIFICATION AND COMPLIANCE NOTES: Declaration Number: EPD-0001 Declaration Type: Product-Specific, Type III This declaration and the rules on which this EPD is based have been examined by an independent external verifier in accordance with ISO 14025 and ISO 21930. This life cycle assessment (LCA) was independently verified in accordance with ISO 14044 and the reference PCR.

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

S-202 SDT™ ADHESIVE

HPD URL: No HPD Available

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

S-202 SDT™ Adhesive is a water-based resin adhesive required for the installation of Static Dissipative Tile. VOC Content: < 50 g/L; calculated and reported, SCAQMD 1168 Learn more: https://www.armstrongflooring.com/commercial/en-us/products/ima/adhesives/item/S-202.html

Section 5: General Notes

This HPD is provided solely for the intended recipient in connection with its assessment of products and for no other purpose. In providing information, Armstrong Flooring expresses no opinion and makes no representations as to the applicability, suitability, accuracy or completeness of the declaration form, or the standards, rules, classifications, warnings, or criteria utilized or referenced therein. Information herein is qualified in the entirety by reference to the applicable product Safety Data Sheet (SDS) which can be located at www.armstrongflooring.com, as well as by the additional ingredient information provided for specified substances. Please refer to the Armstrong Flooring website for more information on this product.

MANUFACTURER INFORMATION

MANUFACTURER: Armstrong Flooring, Inc.

ADDRESS: 2500 Columbia Avenue

Lancaster PENNSYLVANIA 17603, United States

WEBSITE: www.armstrongflooring.com

CONTACT NAME: TechLine TITLE: Customer Service PHONE: 1-888-276-7876

EMAIL: fpotechline@armstrongflooring.com

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity

CAN Cancer

DEV Developmental toxicity

END Endocrine activity

EYE Eye irritation/corrosivity

GEN Gene mutation

GLO Global warming

LAN Land toxicity

MAM Mammalian/systemic/organ toxicity

MUL Multiple

NEU Neurotoxicity

NF Not found on Priority Hazard Lists

OZO Ozone depletion

PBT Persistent, bioaccumulative, and toxic

PHY Physical hazard (flammable or reactive)

REP Reproductive

RES Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

UNK Unknown

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (due to insufficient data)

LT-P1 List Translator Possible 1 (Possible Benchmark-1)

LT-1 List Translator 1 (Likely Benchmark-1)

LT-UNK List Translator Benchmark Unknown (the chemical is present on at least one GreenScreen Specified List, but the information contained within the list did not result in a clear mapping

to a LT-1 or LTP1 score.)

NoGS No GreenScreen.

Recycled Types

PreC Pre-consumer recycled content

PostC Post-consumer recycled content

UNK Inclusion of recycled content is unknown

None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.